WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 5:		(11) International Publication Number:	WO 91/10434
A61K 31/715, 9/14	A1	(43) International Publication Date:	25 July 1991 (25.07.91)
 (21) International Application Number: PCT/GE (22) International Filing Date: 7 January 1991 (30) Priority data: 9000459.9 9 January 1990 (09.01.90 (71) Applicant (for all designated States except US): M LIMITED [GB/GB]; 24A Snugborough Tradit Braddan, Isle of Man (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): JAMES, Micha [GB/GB]; 13 Buttermere Drive, Onchan, Isle (GB). (74) Agent: A.R. DAVIES & CO.; 27 Imperial Square ham, Gloucestershire GL50 1RQ (GB). 	(07.01.) UTRA ng Esta	pean patent), BR, CA, CH (ropean patent), DK (European patent), FR (European patent), IT (LU (European patent), NL ((European patent), US. Published With international search reports the expiration of the teclaims and to be republished amendments.	European patent), DÈ (European patent), ES (European at), GB (European patent), European patent), IP, KR, European patent), NO, SE

(54) Title: A MEDICAMENT COMPRISING METHYLCELLULOSE OR HYDROXYALKYL METHYLCELLULOSE, AND USE THEREOF

(57) Abstract

Methylcellulose or hydroxyalkyl methylcellulose is used in a therapeutic method involving protecting sensitized nerve endings from over stimulation, and particularly in the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants. The medicament forms a gel which protects the disturbed nerve endings long enough for them to return to their normal sensitivity. The medicament is quick-acting and straightforward to use, and does not have undesirable side effects.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinca	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	รบ	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

ANSDOCID: <WC

9110434A1 | >

A medicament comprising methylcellulose or hydroxyalkyl methylcellulose, and use thereof.

This invention relates to medicaments for therapeutic treatments, such as treatments for protecting sensitized nerve endings from over stimulation, and is more particularly, but not exclusively, concerned with treatment of allergies and other conditions caused by inhalation of airborne irritants.

Many people suffer to a greater or lesser extent from the effects of allergies due to inhalation of airborne irritants, such as pollen or household dust.

The effects of an allergy to pollens are commonly styled "hay fever" (Allergic Rhinitis), and can lead to sneezing, catarrh and conjunctivitis amongst other symptoms. Known methods of treatment of hay fever are not always reliable and can give rise to undesirable side effects, such as drowsiness.

It is an object of the invention to provide a 20 medicament for treatment of such allergies and other respiratory complaints which is straightforward to use and does not have undesirable side effects.

According to one aspect of the invention there is provided a medicament comprising methylcellulose or hydroxyalkyl methylcellulose for use as an active ingredient in a therapeutic method.

According to another aspect of the present invention there is provided a medicament comprising methylcellulose or hydroxyalkyl methylcellulose for use in

25

WO 91/10434 PCT/GB91/00018

the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants.

According to another aspect of the invention

5 there is provided the use of methylcellulose or
hydroxyalkyl methylcellulose for the preparation of a
medicament for use as an active ingredient in a
therapeutic method involving protecting sensitized nerve
endings from over stimulation.

10 According to a further aspect of the present invention, there is provided the use of methylcellulose or hydroxyalkyl methylcellulose for the preparation of a medicament for use in the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants.

The methylcellulose or hydroxyalkyl methylcellulose may be in powder, liquid or gel form, and may be in the form of hydroxypropyl methylcellulose, hydroxymethyl methylcellulose, hydroxymethyl methylcellulose or hydroxybutyl methylcellulose.

In such an application, where the methylcellulose or hydroxyalkyl methylcellulose is in the form of a powder, it is important that the powder has effective particle sizes acceptable to the nose and preferably less than about 50 microns diameter (or about 25 microns diameter in some circumstances). Typically at least about 90% by weight of the powder will consist of particles having effective particle diameters in the range

20

25

WO 91/10434 PCT/GB91/00018

-3-

of about 5 to about 50 microns, and preferably in the range of about 10 to about 40 microns.

The use of hydroxypropyl methylcellulose as a thickener and suspending agent in the pharmaceutical and food industries is well known. It is also used as a tablet binder and in ophthalmic preparations (see Martindale, The Extra Pharmacopeia, 28th Edition, page 956). However, so far as the Applicant is aware, there has been no previous suggestion to use this substance as the therapeutic component of a medicament for use in desensitizing over-sensitized nerve endings, or more specifically in the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants.

15 The medicament of the invention is capable of broad application to humans or animals in the treatment of respiratory problems, including pneumoconiosis and asthma, as well as in other applications in which sensitized nerve endings are to be protected from over stimulation.

20 In certain of these applications it may be appropriate for the medicament to be orally inhaled or swallowed, or for the medicament to be in the form of a gel.

The invention also provides a delivery system for a medicament for use as an active ingredient in a therapeutic method, the system comprising a container for the medicament, sealing means for closing off the container, and open cell foam means within the container for holding medicament in such a manner as to enable a

quantity of the medicament held within the foam means to be inhaled through the user's nose or otherwise administered to the user.

In one embodiment the container is a flexible strip having a pocket containing the foam means and having an opening to the pocket in one face, and the sealing means is a piece of adhesive tape which closes off the opening.

In another embodiment the container is a receptacle having a top and having a pad of foam means at its top so that the foam means may be charged with medicament by turning the receptacle upside down, and the sealing means is a detachable cap which closes off the top of the receptacle including the foam means.

In this case the receptacle preferably has flexible walls so as to permit the receptacle to be squeezed to assist inhalation of medicament.

In order that the invention may be more fully understood, reference will now be made, by way of example, with reference to the accompanying drawing, in which:

Figure 1 is a schematic view of a delivery system for the medicament in accordance with the invention;

Figure 2 is a section through an alternative 25 delivery system for the medicament in accordance with the invention.

In one form of the invention, hydroxypropyl methylcellulose powder is taken by the user in the manner

20

of snuff. The hydroxypropyl methylcellulose powder is produced from the cellulose fibres of cotton linters or wood pulp with hydroxypropyl substitution on the anhydroglucose unit being introduced during manufacture.

An appropriate powder is that sold under the Registered Trade Mark, Methocel. Such a powder conforms to U.S.P., Food Chemicals Codex, Kosher Certification and F.D.A. regulations.

Whilst various grades of hydroxypropyl methylcellulose powder may be used, it is much preferred 10 that a grade of powder should be used which has a nominal viscosity in a 2% aqueous solution close to that of mucus, and typically in a range of 4000 to 100000 cP at 20° C (although it is preferable that this value is greater than 15 6000, and most preferably greater than 8000, and/or that this value is less than 50000, and most preferably less than 30000). The powder should also have a high hydration rate so that it will form a gel in a short period of time, typically 3 to 5 seconds, on contact with warm, damp air. 20 A preferred grade of Methocel powder is that sold as K15M Premium which has a nominal viscosity of 15000 cP in 2% aqueous solution at 20° C.

When inhaled the powder acts as a "chemical bandage" to protect sensitized nerve endings within the nose or throat from over stimulation by inhaled irritants. It does this because the powder turns to a gel on contact with the moisture naturally present in the nasal passages. This gently protects the disturbed nerve endings long

10

15

20

25

enough for them to return to their normal sensitivity.

The powder disperses after a while, and is absorbed by the body without any adverse affect. Under most conditions it should not be necessary to administer the powder more than once or twice a day.

If required the powder can be used as a carrier for carrying any suitable drug, for use in treatment of asthma, for example, to the respiratory tract, or elsewhere in the body, and for holding the drug in the required location.

Whilst the powder can be taken simply in the manner of snuff without requiring a special delivery system, it is preferred that the powder is applied and administered by a special delivery system which ensures that the correct amount of powder is taken in a particularly reliable manner.

Figure 1 shows a delivery system 1 in the form of a flexible and transparent plastics strip 2 formed by heat welding together two plastics sheets along weld lines 3, 4 and 5 so as to form a pocket 6 for a pad 7 of open cell foam containing the powder. A circular opening 8 is provided in one of the plastics sheets to provide access to the pocket 6, and this opening 8 is closed off by a piece 9 of adhesive tape (shown in broken lines) applied to one face of the strip 2 when the delivery system 1 is supplied for use.

In use of the delivery system 1 of Figure 1, the piece 9 of adhesive tape is removed so as to provide

access to the powder in the foam pad 7 by way of the opening 8 to permit the powder to be delivered to the user's nose or mouth. The strip 2 is then held by the user grasping each end of the strip 2 between the thumb and forefinger of each hand, and positioned so that the opening 8 is immediately beneath one nostril. The required amount of powder is then taken up by a gentle sniff, and the procedure is repeated for the other nostril. The delivery system 1 is then disposed of.

10 Figure 2 shows an alternative delivery system 10 in which a quantity of powder 11 sufficient for a number of doses is held within a tubular receptacle 12 made of flexible plastics material. The receptacle 12 is formed at its top with a first screwthread 13 for receiving a detachable screwthreaded cap 14, and a second screwthread 15 15 for receiving a screwthreaded foam pad holder 16. pad holder 16 comprises a screwthreaded collar 17, an open cell foam pad 18 and an apertured domed member 19. form of the apertures in the domed member 19 is shown in 20 the view from below of the member 19 at (a) in Figure 2. The foam pad 18 is held at its periphery between an outer circular flange 20 of the domed member 19 and an inner circular flange 21 of the collar 17. Furthermore the flange 20 of the domed member 19 is trapped in position when the collar 17 is held in screwthreaded engagement with the top of the receptacle 12.

In use of the delivery system 10, the receptacle 12 is turned upside down to charge the foam pad 18 with

WO 91/10434 PCT/GB91/00018

-8-

powder. The receptacle 12 is then turned upright and the cap 14 is removed by unscrewing it from the receptacle 12. After the user has gently blown his nose, he then places the foam pad 18 on top of the receptacle 12 immediately below one nostril and lightly sniffs the pad 18 so as to inhale the powder, whilst squeezing the walls of the flexible receptacle 12. The procedure is then repeated for the second nostril, and the cap 14 is subsequently replaced, the receptacle 12 being stored for further use.

10 Whilst the description of the medicament above is concerned with inhalation of the powder for treatment of airborne allergies, it should be appreciated that the medicament can also be used as a "chemical bandage" in other applications within the scope of the invention.

15 For example, the medicament may be applied in the form of a powder or liquid to tissue during surgery so that it

will form a "chemical bandage" preventing undesirable

CLAIMS

- 1. A medicament comprising methylcellulose or hydroxyalkyl methylcellulose as an active ingredient in a therapeutic method.
- A medicament comprising methylcellulose or hydroxyalkyl methylcellulose for use in the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants.
- 3. A medicament according to claim 1 or 2, which is 10 in powder form.
 - 4. A medicament according to claim 3, wherein the powder has effective particle sizes in the range of 0.25 to 25 microns.
- 5. A medicament according to any preceding claim,
 15 which is selected from the group comprising
 hydroxypropyl methylcellulose, hydroxyethyl
 methylcellulose, hydroxymethyl methylcellulose and
 hydroxybutyl methylcellulose.
- 6. The use of methylcellulose or hydroxyalkyl methylcellulose for the preparation of a medicament for use as an active ingredient in a therapeutic method involving protecting sensitized nerve endings from over stimulation.
- 7. The use of methylcellulose or hydroxyalkyl 25 methylcellulose for the preparation of a medicament for use in the treatment by nasal administration of allergies and other conditions caused by inhalation of airborne irritants.

- 8. The use according to claim 6 or 7, wherein the medicament is in powder form.
- 9. The use according to claim 8, wherein the powder has effective particle sizes in the range of 0.25 to 25 microns.
- 10. The use according to any one of claims 6 to 9, wherein the medicament is selected from the group comprising hydroxypropyl methylcellulose, hydroxyethyl methylcellulose, hydroxymethyl methylcellulose and 10 hydroxybutyl methylcellulose.

1/1




FIG.I.




FIG.2.

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 91/00018

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate sll) 4				
_	to International Patent Classification (IPC) or to both Nation			
IPC ⁵ :	A 61 K 31/715, A 61 K 9/14			
II. FIELDS	SEARCHED	Ains Country		
Minimum Documentation Searched 7 Classification System Classification Symbols				
			<u> </u>	
IPC ⁵	A 61 K			
	Documentation Searched other that to the Extent that such Documents a			
III DOCI	MENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of Document, 11 with Indication, where appro	opriate, of the relevant passages 12	Relevant to Claim No. 13	
i				
х	Chemical Abstracts, vol. 9 21 November 1983, (Col see page 75, abstract & JP, A, 58135805 (TEI 12 August 1983	umbus, Ohio, US), 169528h,	1-10	
х	FR, A, 2085692 (SQUIBB) 31 December 1971 see the whole document; especially claims 1-3,7; page 1, line 24 - page 2, line 8		1,2	
A			3-5	
A	EP, A, 0193372 (TEIJIN) 3 September 1986 see the whole document	:	1-5	
		•		
"A" doc cor "E" ear filir "L" doc wh cuta "O" doc oth "P" doc late	al categories of cited documents: 19 cument defining the general state of the art which is not neithered to be of particular relevance. dier document but published on or after the international and date cument which may throw doubts on priority claim(s) or rich is cited to establish the publication date of another stion or other special reason (as specified) cument referring to an oral disclosure, use, exhibition or ler means cument published prior to the international filling date but set than the priority date claimed	"T" later document published after or priority date and not in conficited to understand the princip invention. "X" document of particular releval cannot be considered novel of involve an inventive step. "Y" document of particular releval cannot be considered to involve document is combined with on ments, such combination being in the art. "4" document member of the same	lict with the application but the or theory underlying the nce; the claimed invention r cannot be considered to nce; the claimed invention an inventive step when the e or more other such docu- in obvious to a person skilled	
	rification ne Actual Completion of the International Search	Date of Mailing of this International S	Search Report	
	ch March 1991	3.3	HW 751	
Internatio	nal Searching Authority	Signature of Authorized Officer	V. O Aug	
	EUROPEAN PATENT OFFICE	1785 D. St N	-X11 + 4-115	

Form PCT/ISA/210 (second sheet) (January 1985)

EC1/GB 31/00018
searchable
(2) (a) for the following reasons:
is Authority, namely:
comply with the prescribed require-
other condition ng sensitized search has
y fever and
the second and third sentences of
lows:
eport covere all searchable claims
national search report covers only
onal search report is restricted to
tional Searching Authority did not
Secretary Authority did not

Form PCT/ISA/210 (supplemental sheet (2)) (January 1985)

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9100018 SA 43318

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 19/04/91

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A- 2085692	31-12-71	CA-A- 985626 CH-A- 535050 DE-A- 2110932 GB-A- 1353635 US-A- 3984571	16-03-76 31-03-73 23-09-71 22-05-74 05-10-76
EP-A- 0193372	03-09-86	JP-A- 61194034 US-A- 4985242	28 - 08-86 15 - 01-91

FORM PO479

For more details about this annex: see Official Journal of the European Patent Office, No. 12/82